

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/615,029	07/09/2003	Stefan Nolewaika	32860-000558/US	8732	
30596	7590 12/10/2004		EXAM	EXAMINER	
HARNESS, DICKEY & PIERCE, P.L.C.			HO, ALLEN C		
P.O.BOX 89 RESTON, V			ART UNIT PAPER NUMBER		
,			2882		
			DATE MAILED: 12/10/2004	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)		
10/615,029			NOLEWAIKA, STEFAN	
Notice of Allowability	Examiner	Art Unit		
	Allen C. Ho	2882		
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm GHTS. This application is	in this application. If not include nunication will be mailed in due	ded e course. THIS	
1. \boxtimes This communication is responsive to <u>application filed on 09</u>	July 2003.			
2. The allowed claim(s) is/are				
3. The drawings filed on are accepted by the Examiner	r.			
 4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 	been received. been received in Applicate currents have been received of this communication to find the beautiful	ion No ed in this national stage applic le a reply complying with the re (AMINER'S AMENDMENT or	equirements	
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Reviews Amendment / Comment 84(c)) should be written on the header according to 37 Costs of BIOLOGICAL MA	or in the Office action of the drawings in the front (not the FR 1.121(d). FERIAL must be submitted.	·	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	•	nformal Patent Application (P	ГО-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413), o./Mail Date		
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>092003</u>	8), 7. 🛭 Examiner	s Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit	8. 🖂 Examiner	s Statement of Reasons for Al	lowance	

of Biological Material

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald J. Daley (Reg. No. 34,313) on 06 December 2004.

The application has been amended as follows:

Paragraph [0012], line 3, " $S_{a,m,x} - S_{a,m,x} = S_{m,x} - \frac{1}{N} (M_m - M_{m'})$ " has been replaced by

$$--S_{\rm a,m,x}-S_{\rm a,m,x}=S_{\rm m,x}-S_{\rm m,x}-\frac{1}{N}(M_{\rm m'}-M_{\it m})--.$$

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

In Fig. 1, the reference number for the detector has been changed from "1" to "5".

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Allowable Subject Matter

- 3. Claims 1-16 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The prior art fails to teach or fairly suggest a method for exchanging a first detector module in a computed tomography for a second detector module as claimed in claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - (1) Winklemann (U. S. Pub. No. 2004/0190683 A1) disclosed a method for the selection of a new detector module for x-ray computed tomography.
 - (2) Von Der Haar (U. S. Patent No. 6,667,482 B2) disclosed a radiation detector for a computed tomography.
 - (3) Sakaguchi *et al.* (U. S. Patent No. 6,453,008 B1) disclosed a radiation detector comprising a correction table.
 - (4) Saito *et al.* (U. S. Patent No. 6,396,898 B1) disclosed a CT detector comprising a plurality of detector modules.
 - (5) Crawford *et al.* (U. S. Patent No. 5,970,113) disclosed a CT with temperature compensation for dark current offsets.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen C. Ho whose telephone number is (571) 272-2491. The examiner can normally be reached on Monday - Friday from 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward J. Glick can be reached at (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Allen C. Ho Patent Examiner

allen C. Ho

Art Unit 2882

06 December 2004